

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5896499".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:48
S1	2	"5896499".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:42
S2	2	ep-965902-\$.did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:15
S3	361	713/150-152.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:55
S4	993	726/2,11-14,22-25,27-29.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:03
S5	1303	S3 or S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:56
S6	149457	(determin\$3 or monitor\$3 or detect\$3) with (fail\$3 or intrud\$3 or violation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:17
S7	20760	S6 and ((switch\$3 or activat\$3) with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 10:52

EAST Search History

S8	30	S7 and (http with mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05
S9	278	S7 and (http with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:58
S10	230	S9 and (signal or "control signal")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:58
S11	230	S10 and (https or "http-s")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:06
S12	4	S11 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:58
S13	4495	709/223-225,230.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:03
S14	16	S11 and S13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:03
S15	18	S12 or S14	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05

EAST Search History

S16	17978	S6 and ((swap\$4 or switch\$3) with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05
S17	23	S16 and (http with mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05
S18	23	S17 and (https or "http-s")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:06
S19	41	S18 or S15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:17
S20	5631	S5 or S13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S21	149537	(determin\$3 or monitor\$3 or detect\$3) with (fail\$3 or intrusion or intruder)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:17
S22	21000	S21 and ((switch\$3 or activat\$3) with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:18
S23	144	S20 and S22	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:22

EAST Search History

S24	44	S23 and http	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:28
S25	23	S22 and (revert\$3 with ("non-secure" or nonsecure\$1 or "non-secured") with mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:23
S26	12	S25 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:24
S27	361	713/150-152.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S28	993	726/2,11-14,22-25,27-29.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S29	1303	S27 or S28	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S30	4495	709/223-225,230.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S31	5631	S29 or S30	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52

EAST Search History

S32	654626	(revert\$3 or operat\$3) with (normal or nonsecure\$1 or "non-secure" or basic)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S33	1017	S32 and S31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:53
S34	659	S33 and (intrus\$3 or fail\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S35	458	S34 and mode	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S36	105859	(mode) with (normal or nonsecure\$1 or "non-secure" or basic)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S37	122	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:55
S38	275742	(correct\$3) with (fail\$3 or error)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:55
S39	41	S37 and S38	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:01

EAST Search History

S40	0	S39 and (secure with (normal or nonsecure\$1 or "nonsecure" or "nonsecured"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:02
S41	13	S34 and (secure with (normal or nonsecure\$1 or "nonsecure" or "nonsecured"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:02
S42	2	"6473863".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:24
S43	411667	(detect\$3 or determin\$3 or trigger\$3) with (error or intrusion or failure or fault)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:34
S44	1	S43 and (switch\$3 or convert\$3) with (http with (http adj1 s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:36
S45	7	S43 and ((switch\$3 or convert\$3) with (unsecur\$2 with secure) with (protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:50
S46	4	S45 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:36
S47	7277	switch with network with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:43

EAST Search History

S48	1149	S47 and (http)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:43
S49	403	S48 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:44
S50	36	S49 and ((http adj1 s) or (secur\$2 with http))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:46
S51	5	(failure or error or intrusion) with (trigger\$3 or caus\$3) with (enhanc\$2 or upgrad\$3) with (security)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:48
S52	0	S51 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:47
S53	3	(failure or error or intrusion) with (trigger\$3 or caus\$3) with (enhanc\$2 or upgrad\$3) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:48
S54	4017	S43 and ((switch\$3 or convert\$3) with (mode) with (transmission or protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:50
S55	385	713/150-152.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:51

EAST Search History

S56	1030	726/2,11-14,22-25,27-29.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:51
S57	1361	S55 or S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:51
S58	1	S54 and S57	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:06
S59	60159	(monitor\$3 with (error or intrusion or failure))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:06
S60	32379	S59 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:14
S61	3	S60 and (http and (http adj2 s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:14
S62	6	(alternat\$3) with (http and (http adj2 s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:44
S63	0	S62 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:14

EAST Search History

S64	59	(failure or error) with (caus\$3 or trigger) with (secur\$4) with (protocol or mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:45
S65	16	S64 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:52
S66	34848	(us\$3 with http)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:51
S67	34848	S66 and (us\$3 with (https or http-s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:52
S68	5428	S67 and ((determin\$3 or detect\$3) with (error or failure or intrusion))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:52
S69	1057	S68 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:12
S70	133	S69 and (monitor\$3 with (path or link))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:51
S71	617	(error or failure or intrusion or intruder) with (caus\$3 or trigger\$3 or mak\$3) with (protocol or network) with (change or updat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:53

EAST Search History

S72	245	S71 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:53
S73	242	S72 and (network or lan or wan or internet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:09
S74	190	(non adj2 secur\$2) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:11
S75	24	S74 and ((convert\$3 or switch\$3) with (secur\$2 with protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:12
S76	9	S75 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:16
S77	4	(failure or error or intrusion) with (activat\$3) with (https or http-s or (secur\$3 adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:19
S78	1988	((switch\$3 or chang\$3) with (first or ((non or "not") adj2 secur\$2) with protocol) with ((second or secur\$3) with protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:43
S79	820	S78 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:44

EAST Search History

S80	444	S79 and (failure or error or intrusion)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:45
S82	1	S80 and (first and (("not" or non) adj2 secur\$2))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:46
S83	16688	(error or fault or failure or intruder or intrusion) with (caus\$3 or activat\$3 or switch\$3) with (protocol or mode or http\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:44
S84	9787	S83 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:58
S85	3481	S84 and (network or lan or wan or internet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:05
S86	847	S85 and (network with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:01
S87	1	S86 and (http adj2 s)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:02
S88	471	S85 and (monitor\$3 with (link or path or route))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:45

EAST Search History

S89	0	(switch\$3 or convert\$3) with (unsecure with secure) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:13
S90	10	(switch\$3 or convert\$3) with (unsecure\$1 with secure\$1) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:14
S91	4	S90 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:14
S92	1	(detect\$3 with (intrud\$3) with (upgrad\$3) with (security or protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:04
S93	2219	(error or fault or failure or intruder or intrusion) with (switch\$3) with (port)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:44
S94	1078	S93 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:45
S95	203	S94 and (monitor\$3 with (link or path or route))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:57
S96	1138	(switch\$3 or swap\$4 or chang\$3) with (protocol) with (error or fault or intrusion or intruder)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:57

EAST Search History

S97	508	S96 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:15
S98	195	intrusion with (increas\$3 or upgrad\$3) with (security)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:15
S99	34	S98 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:15
S10 0	6135	(380/255,266.ccls. or 726/2,11-15, 22-27,34.ccls. or 713/150-152,189. ccls. or 709/223-225.ccls.) and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 10:43
S10 1	21	(switch\$3 with (http adj (https or "http-s")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 10:46
S10 2	0	S101 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:04
S10 3	19	(switch\$3 with (secur\$2 with (nonsecur\$2 or "non-secured" or "non-secured")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 10:48
S10 4	8	S103 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:52

EAST Search History

S10 5	18	(chang\$3 with (secur\$2 with (nonsecur\$2 or "non-secured" or "non-secured"))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 10:48
S10 6	175103	(determin\$3 or monitor\$3 or detect\$3) with (fail\$3 or intrud\$3 or violation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 10:52
S10 7	49269	S106 and ((switch\$3 or activat\$3 or trigger\$3 or swap\$4) with (mode or operation or protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 10:54
S10 8	353	S107 and S100	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 12:59
S10 9	2992	S107 and (http)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:00
S11 0	349	S109 and ((increas\$3 or height\$3) with security)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:03
S11 1	349	S110 and (https or "http-s" or (secur\$2 with http))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:03
S11 2	125	S111 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:52

EAST Search History

S11 3	370	vpn with http	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:52
S11 4	43	S113 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:52
S11 5	2171316	(ids or (intrusion adj detect\$3 with system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:06
S11 6	7435	S115 and (increas\$3 with (security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:07
S11 7	1812	S116 and @ad<"20001121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:53
S11 8	524	S117 and ((detect\$3 or determin\$3) with (intruder or error or intrusion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:17
S11 9	16	S118 and ((intruder or error or intrusion) with (turn or activat\$3) with (encrypt\$3 or encipher\$3 or cryptography or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:26
S12 0	6139	(380/255,266.ccls. or 726/2,11-15, 22-27,34.ccls. or 713/150-152,189. ccls. or 709/223-225.ccls.) and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:27

EAST Search History

S12 1	11	S120 and ((intruder or error or intrusion) with (turn or activat\$3) with (encrypt\$3 or encipher\$3 or cryptography or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:30
S12 2	40	S120 and ((intruder or error or intrusion) with (turn or activat\$3 or trigger\$3 or increas\$3) with (encrypt\$3 or encipher\$3 or cryptography or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:49
S12 3	39	((error or anomal\$3 or intruder or intrusion or virus) with (turn or activat\$3 or trigger\$3 or increas\$3) with (https))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:53
S12 4	45	((anomaly) with (turn or activat\$3 or trigger\$3 or increas\$3) with (encrypt\$3 or encipher\$3 or cryptography or secur\$3 or https))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:53
S12 5	11	S124 and @ad<"20001121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:53
S12 6	8	S123 and @ad<"20001121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:53
S12 7	19	S125 or S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:54